



ZNV[®]

正能阀门集团
ZHENG NENG VALVE GROUP

国内外一站式阀门服务平台

项目招商手册

PROJECT INVESTMENT HANDBOOK

— 正能聚势 能赋未来 —





COMPANY PROFILE

企业简介

正能阀门集团有限公司是一家致力于阀门的研发、设计、生产、销售为一体的国家高新技术企业。公司有着完整的质量管理体系，拥有雄厚的技术力量、精良的加工设备及严格的检测系统。保证产品在受控过程中进行高精度加工，为客户提供高性能产品，并对产品的后续服务提供有力的保障。此外，公司配备有专业的技术研发部门，能为相关行业客户要求的实际工况提供行之有效的解决方案。

公司生产的产品主要有：气动/电动调节阀、气动/电动球阀、气动/电动蝶阀、气动角座阀、气动隔膜阀、切断阀、特殊类调节阀、V型、O型球阀、波纹管阀门、放料阀、氧气阀、铜阀门等各种控制仪表等多种系列阀门。

目前我司产品已在制药、食品、水处理、化工、环保、电力、冶金、造纸、轻工及城建等领域得到广泛使用。正能始终贯彻“以人为本，追求卓越，精益求精”的信念，将发展民族工业为己任，以科技创新为动力，为广大新老用户提供更加优质的服务。

Zhengen Valve Group Co., Ltd. is a national high-tech enterprise dedicated to the research and development, design, production, and sales of valves. The company has a complete quality management system, strong technical strength, sophisticated processing equipment, and strict testing systems. Ensure high-precision processing of products in controlled processes, provide customers with high-performance products, and provide strong support for subsequent product services. In addition, the company is equipped with a professional technical research and development department, which can provide effective solutions for the actual working conditions required by relevant industry customers.

The products produced by the company mainly include pneumatic/electric regulating valves, pneumatic/electric ball valves, pneumatic/electric butterfly valves, pneumatic angle seat valves, pneumatic diaphragm valves, shut-off valves, special regulating valves, V-type and O-type ball valves, bellows valves, discharge valves, oxygen valves, copper valves, and various control instruments and other series of valves.

At present, our products have been widely used in the fields of pharmaceuticals, food, water treatment, chemical industry, environmental protection, electricity, metallurgy, papermaking, light industry, and urban construction. zhengen always adheres to the belief of "people-oriented, pursuing excellence, and striving for excellence", takes the development of national industry as its own responsibility, takes technological innovation as its driving force, and provides better services for new and old customers.

COMPANY PROFILE

应用领域

企业产品主要应用于石油、化工、医药、环保、等领域，并积极开拓新的领域及市场。公司力争服务更多更优质的客户，也将与新老客户共进步同共赢！

The company's products are mainly applied in fields such as petroleum, chemical, pharmaceutical, environmental protection, etc., and actively explore new fields and markets. The company strives to serve more and higher quality customers, and will also progress and win together with new and old customers!

多元化应用领域



石油
OIL



化工
CHEMICAL



电力
ELECTRICITY



天然气
NATURAL GAS



新能源
NEW ENERGY



制药
PHARMACEUTICAL



冶金
METALLURGY



为环保工程、化学工程、医药工程、食品饮料、精细化工、新能源、冶炼开采等工业产业提供

一站式工程服务整体解决方案

For industrial industries such as environmental engineering, chemical engineering, pharmaceutical engineering, food and beverage, fine chemicals, new energy, smelting and mining Provide a one-stop engineering service overall solution

QUALIFICATION CERTIFICATE

资质证书

















智控阀门系列 INTELLIGENT CONTROL VALVE SERIES

 <p>气动三段式球阀 Pneumatic three-stage ball valve</p>	 <p>放料球阀 Discharge ball valve</p>	 <p>放料球阀 Discharge ball valve</p>	 <p>放料球阀 Discharge ball valve</p>
 <p>电动法兰球阀 Electric Flanged Ball Valve</p>	 <p>电动法兰球阀 Electric flanged ball valve</p>	 <p>电动螺纹球阀 Electric thread ball valve</p>	 <p>电动意大利薄型对夹球阀 Electric Italian thin ball valve to the clamp</p>
 <p>电动V型切断球阀 Electric V cutting ball valve</p>	 <p>电动全不锈钢对夹蝶阀 Electric stainless steel butterfly valves to the clamp</p>	 <p>电动对夹软密封蝶阀 Electric Wafer Soft Seal Butterfly Valve</p>	 <p>电动对夹蝶阀 Electric butterfly valve to the clamp</p>
 <p>电动卫生级快装球阀 Quick install ball valve electric health level</p>	 <p>电动卫生级快装蝶阀 Electric level health fast loading butterfly valve</p>	 <p>防爆电动对夹蝶阀 Explosion-proof electric butterfly valve to the clamp</p>	 <p>电动UPVC蝶阀 UPVC butterfly valves The</p>

智控阀门系列
INTELLIGENT CONTROL VALVE SERIES

 <p>气动法兰球阀 Pneumatic flanged ball valves</p>	 <p>气动快装球阀 Pneumatic fast loading the ball valve</p>	 <p>气动意大利薄型对夹球阀 Pneumatic Italian thin ball valve to the clamp</p>	 <p>气动螺纹球阀 Pneumatic screw thread ball valve</p>	 <p>气动三通全包快装球阀 Pneumatic tee turnkey fast ball valve</p>
 <p>气动UPVC双由令球阀 Pneumatic UPVC double by ball valve</p>	 <p>气动衬氟法兰球阀 Pneumatic rubber fluorine flanged ball valves</p>	 <p>调节型气动法兰球阀 External regulation pneumatic flanged ball valves</p>	 <p>配防爆三联件气动法兰球阀 With explosion-proof sanlian pieces pneumatic flanged ball valves</p>	 <p>调节型气动对夹蝶阀 External regulation of pneumatic butterfly valve to the clamp</p>
 <p>气动对夹蝶阀 Pneumatic butterfly valve to the clamp</p>	 <p>气动硬密封法兰蝶阀 Pneumatic hard sealing flange butterfly valve</p>	 <p>气动卫生级快装蝶阀 Fast loading butterfly valve pneumatic health level</p>	 <p>气动全不锈钢对夹蝶阀 Pneumatic full stainless steel butterfly valves to the clamp</p>	 <p>气动衬氟对夹蝶阀 Pneumatic fluorine-butterfly butterfly valve to the clamp</p>
 <p>立式气动卫生级快装蝶阀 Vertical fast loading butterfly valve pneumatic health level</p>	 <p>气动法兰蝶阀 Pneumatic flange butterfly valve</p>	 <p>配两联件气动对夹蝶阀 With two couplet a pneumatic butterfly valve to the clamp</p>	 <p>气动三偏心硬密封对夹蝶阀 Three partial hardness pneumatic sealing butterfly valve to the clamp</p>	 <p>气动双偏心硬密封对夹蝶阀 Pneumatic double hardness sealing butterfly valve to the clamp</p>

调节阀系列 CONTROL VALVE SERIES



ZJHP气动单座调节阀
ZJHP pneumatic single seat control valve



ZSPQ切断阀
ZSPQ shut-off valve



ZLHM气动套筒调节阀
ZLHM pneumatic sleeve control valve



ZJHJ气动薄膜调节阀
ZJHJ pneumatic film control valve



ZJHQ/X气动三通调节阀
ZJHQ/X pneumatic three-way regulating valve



ZZVP自力式泄氮阀
ZZVP self-operated nitrogen release valve



自力式差压调节阀
Self-operated differential pressure regulating valve 215V type



ZZYP自力式调节阀
ZZYP self-operated regulating valve



气动薄膜调节阀
Pneumatic diaphragm valve



气动薄膜调节阀
Pneumatic diaphragm valve



自力式调节阀
Self-reliance type regulator



自力式调节阀
Self-reliance type regulator



ZJHM气动套筒调节阀
ZJHM pneumatic sleeve control valve



ZJHM气动套筒调节阀
ZJHM pneumatic sleeve control valve



ZDLM电动套筒调节阀
ZDLM electric sleeve control valve



ZDLP电动单座调节阀
ZDLP electric single seat control valve

防腐阀门系列
ANTICORROSIVE VALVE SERIES



电动衬胶蝶阀
Pneumatic diaphragm valve



电动衬胶蝶阀
Pneumatic diaphragm valve



手动衬胶对夹蝶阀
Hand-operated rubber-lined butterfly valve



衬氟法兰球阀
Fluorine-lined flange ball valve



衬氟截止阀
Fluorine-lined globe valve



衬氟止回阀
Fluorine-lined check valve



衬氟法兰球阀
Fluorine-lined flange ball valve



衬氟过滤器
Fluorine-lined filter



衬氟隔膜阀
Fluorine-lined diaphragm valve



衬氟法兰蝶阀
Fluorine-lined flange butterfly valve



衬氟气动法兰球阀
Fluorine-lined pneumatic flange ball valve



衬胶管夹阀
Rubber lined pinch valve

球阀系列

BALL VALVE SERIES



大口径法兰球阀
Large diameter flange ball valve



国标法兰球阀
GB Flange ball valve



硬密封球阀
Hard seal ball valve



美标法兰球阀
API Flanged ball valves



日标法兰球阀
JIS Flanged ball valves



国标球阀
GB ball valve



美标球阀
API Ball valve



铸钢球阀
Cast steel ball valve



铸钢球阀
Cast steel ball valve



三通高平台法兰球阀
Q44/45f-16p three-way high
Platform flange ball valve



高平台薄型球阀
High platform thin ball valve



低温球阀
Cryogenic ball valve



氧气专用球阀
Oxygen dedicated ball valve



三通球阀
Three-way ball valve



三片式高压球阀
Three-piece high-pressure ball valve



固定式法兰球阀
Fixed flange ball valve



保温夹套球阀
Insulation jacket ball valve

特材阀门系列 SPECIAL MATERIAL VALVE SERIES



2205特材国标球阀
Special material GB ball valve



TA2特材国标球阀
Special material GB ball valve



哈氏合金法兰球阀
Hastelloy alloy flanged ball valve



310S特材美标球阀
Special material API ball valve



TA2特材电动球阀
Special material electric ball valve



2205特材国标闸阀
Special material GB gate valve



纯镍特材国标截止阀
Special material GB globe valve



310S特材国标截止阀
Special material GB globe valve



TA2特材放料阀
Special material discharge valve



2205特材止回阀
Special material check valve



2205特材国标止回阀
Special material GB check valve



TA2特材过滤器
Special material filter

蝶阀系列 BUTTERFLY VALVE SERIES



蜗轮不锈钢蝶阀
Worm Gear Stainless Steel
Butterfly Valve



硬密封对夹蝶阀
Hard seal wafer butterfly valve



电动法兰蝶阀
Electric flange butterfly valve



加长杆蝶阀
Extended stem butterfly valve



气动对夹蝶阀
Pneumatic wafer butterfly valve



电动法兰蝶阀
Electric flange butterfly valve



电动伸缩蝶阀
Electric telescopic butterfly valve



气动法兰蝶阀
Pneumatic flange butterfly valve



气动双向压蝶阀
Pneumatic two-way pressure
butterfly valve



蜗轮焊接蝶阀
Worm gear welding butterfly valve



法兰式多层次金属硬密封蝶阀
Flanged multi-level metal hard
sealing butterfly valve



蜗轮双向压蝶阀
Worm gear bidirectional pressure
Butterfly valve



蜗轮对夹蝶阀
Worm gear wafer butterfly valve



对夹蝶阀
Wafer butterfly valve



蜗轮不锈钢蝶阀
Worm gear stainless steel
Butterfly valve

闸阀系列
GATE VALVE SERIES



国标法兰闸阀
GB flange gate valve



国标法兰闸阀
GB flange gate valve



楔式闸阀
Wedge gate valve



俄标闸阀
GOST gate valve



美标闸阀
API gate valve



国标闸阀
GB Gate Valve



国标电动闸阀
GB Electric gate valve



美标法兰闸阀
API Flanged gate valve



美标法兰闸阀
API Flange gate valve



暗杆闸阀
Dark stem gate valve



低温闸阀
Low temperature gate valve



电动闸阀
Electric gate valve

截止阀系列 STOP VALVE SERIES



国标法兰截止阀
GB flange globe valve



美标法兰截止阀
API flange globe valve



低温截止阀
Cryogenic globe valve



抗生素截止阀
Antibiotic globe valve



氨用截止阀
Ammonia globe valve



氧气截止阀
Oxygen globe valve



铸钢电动截止阀
Cast steel electric globe valve



气动截止阀
Pneumatic globe valve



保温截止阀
Insulation globe valve



平衡阀
Balance valve

止回阀系列
 CHECK VALVE SERIES



国标止回阀
 GB check valve



美标止回阀
 API check valve



国标止回阀
 GB check valve



国标止回阀
 GB check valve



国标旋启式止回阀
 GB swing check valve



美标法兰止回阀
 API Flange check valve



国标立式止回阀
 GB vertical check valve



国标升降式止回阀
 GB lift check valve



对夹止回阀
 Wafer check valve



Y型过滤器
 Y-strainer



对夹止回阀
 Wafer check valve



篮式过滤器
 Basket filter

锻钢阀系列 FORGED STEEL VALVE SERIES



锻钢低温对焊闸阀
Forged steel low temperature
Butt welding gate valve



锻钢对焊截止阀
Forged steel butt welded globe valve



锻钢法兰止回阀
Forged steel flanged check valve



锻钢对焊止回阀
Forged steel butt welded
Check valve



锻钢对焊Y型过滤器
Forged steel butt welded
Y strainer



锻钢法兰闸阀
Forged steel flanged gate valve



锻钢螺纹闸阀
Forged steel thread gate valve



锻钢法兰截止阀
Forged steel flanged globe valve



锻钢法兰球阀
Forged steel flanged ball valve

水暖丝扣阀门系列 THREADED BALL VALVE SERIES

 <p>一片式球阀 1PC ball valve</p>	 <p>二片式球阀 2PC ball valve</p>	 <p>三片式球阀 3PC ball valve</p>	 <p>三片式对焊球阀 3PC butt welding ball valve</p>
 <p>三片式高平台内螺纹球阀 3PC high platform female thread ball valve</p>	 <p>三片式快装球阀 3PC quick-fit ball valve</p>	 <p>内螺纹三通球阀 Internal thread three-way ball valve</p>	 <p>三通高平台内螺纹球阀 Three-way high platform internal thread ball valve</p>
 <p>三片式活接对焊式不锈钢球阀 Three-piece union butt welded stainless steel ball valve</p>	 <p>丝扣闸阀(软密封/硬密封) Threaded gate valve (Soft Seal/Hard Seal)</p>	 <p>免维护闸阀(软密封/硬密封) Maintenance-free gate valve (Soft Seal/Hard Seal)</p>	 <p>水暖闸阀(软密封/硬密封) Plumbing gate valve (Soft Seal/Hard Seal)</p>
 <p>加长闸阀(软密封/硬密封) Lengthened gate valve (Soft Seal/Hard Seal)</p>	 <p>法兰闸阀 Flange gate valve</p>	 <p>磁性闸阀 Magnetic gate valve</p>	 <p>防盗闸阀 Anti-theft gate valve</p>

法兰/人孔系列 FLANGE/MANHOLE SERIES



平焊法兰
Flat welding flange



带颈平焊法兰
Flat welding flange with neck



带颈对焊法兰
Butt welding flange with neck



螺纹法兰
Threaded flange



盲板
Blind board



螺纹法兰
Threaded flange



视镜
Glass



内螺纹法兰
Internal thread flange



橡胶软接头法兰
Rubber soft joint flange



大口径法兰
Large diameter flange



大口径法兰
Large diameter flange



非标法兰
Non-standard flange



管板
Tube sheet



快开法兰人孔
Quick open flange manhole



化工人孔
Chemical manhole



内开人孔
Inside manhole

卫生级阀门系列 SANITARY VALVE SERIES



拉杆式焊接蝶阀
Pull handle type welded butterfly valve



拉杆式外螺纹蝶阀
Pull handle type threaded butterfly valve



高平台外螺纹球阀
High platform male thread ball valve



快装止回阀
Tri clamp check valve



单销中间开卡箍
Single pin clamp



快装球阀
Clamped Ball Valve



快装三通球阀
Clamped 3-way Ball Valve



快装三片式球阀
Clamp 3PC Ball Valve



由任组(活接头)
Unions



快装隔膜阀
Clamped Diaphragm Valve



卫生级三通隔膜阀
Sanitary 3-way diaphragm valve



卫生级气动隔膜阀
Sanitary pneumatic diaphragm valve



快装隔膜阀
Clamped Diaphragm Valve



快装视镜
Clamped Straght Sight Glass



快装蝶阀
Clamped Butterfly Valve



呼吸机
Respirator

防爆型限位开关 EXPLOSION PROOF LIMIT SWITCH

DS300-A

开 关: 机械式2*SPDT,2*DPDT
接近式2*SPST,2*SPDT
外壳材质: 铝合金
防爆等级: Ex db IIC T6 Gb
Ex tb IIIC T80°C Db
防护等级: IP66
接 线 口: NPT1/2 M20*1.5 G3/4 NPT3/4
可 选 型: Ex 详细见选型表



DS500/APL510

开 关: 机械式2*SPDT,2*DPDT,4*SPDT
接近式2*SPST,2*SPDT,4*SPDT,4*SPST
外壳材质: 铝合金
防爆等级: Ex db IIC T6 Gb
Ex tb IIIC T80°C Db
防护等级: IP66
接 线 口: NPT1/2 M20*1.5 G3/4 NPT3/4
可 选 型: Ex 详细见选型表



DS300-B

开 关: 机械式2*SPDT,2*DPDT
接近式2*SPST,2*SPDT
外壳材质: 铝合金
防爆等级: Ex db IIC T6 Gb
Ex tb IIIC T80°C Db
防护等级: IP66
接 线 口: NPT1/2 M20*1.5 G3/4 NPT3/4
可 选 型: Ex 详细见选型表



DS500-SS

开 关: 机械式2*SPDT,2*DPDT,4*SPDT
接近式2*SPST,2*SPDT,4*SPDT,4*SPST
外壳材质: SS316
防爆等级: Ex db IIC T6 Gb
Ex tb IIIC T80°C Db
防护等级: IP66
接 线 口: NPT1/2 M20*1.5 G3/4 NPT3/4
可 选 型: Ex ia 详细见选型表



DS300-B-SS

开 关: 机械式2*SPDT,2*DPDT,4*SPDT
接近式2*SPST,2*SPDT,4*SPDT,4*SPST
外壳材质: SS316L
防爆等级: Ex db IIC T6 Gb
Ex tb IIIC T80°C Db
防护等级: IP66
接 线 口: NPT1/2 M20*1.5 NPT3/4
可 选 型: Ex 详细见选型表



DS400/DS400-V

开 关: 机械式2*SPDT
接近式2*SPST
防爆等级: Ex db IIB T6 Gb
Ex tb IIIC T80°C Db
防护等级: IP66
接 线 口: NPT1/2 M20*1.5



APL400

开 关: 机械式2*SPDT
接近式2*SPST,2*SPDT
外壳材质: 铝合金
防爆等级: Ex db IIB T6 Gb
Ex tb IIIC T80°C Db
防护等级: IP66
接 线 口: NPT1/2 M20*1.5 NPT3/4 G3/4
可 选 型: Ex 详细见选型表



TPX400-LEX

开 关: 机械式2*SPDT
外壳材质: 铝合金
防爆等级: Ex db IIB T6 Gb
Ex tb IIIC T80°C Db
防护等级: IP66
接 线 口: NPT1/2 M20*1.5



DS410-WL-A

开 关: 2*SPDT
外壳材质: 铝合金
防爆等级: Ex db IIB T6 Gb
Ex tb IIIC T80°C Db
防护等级: IP66
接 线 口: NPT1/2 M20*1.5



TPX400-TPX

开 关: 机械式2*SPDT
外壳材质: 铝合金
防爆等级: Ex db IIB T6 Gb
Ex tb IIIC T80°C Db
防护等级: IP66
接 线 口: NPT1/2 M20*1.5 NPT3/4 G3/4



防水型限位开关 WATERPROOF LIMIT SWITCH

DSK100

开 关： 机械式2*SPDT,2*DPDT
接近式2*SPST,2*SPDT
外壳材质： 铝合金
防护等级： IP67
接 线 口： G1/2, NPT1/2, M20*1.5
颜 色： 灰色, 定制
可 选 型： Ex 详细见选型表



DSK900

开 关： 机械式2*SPDT
外壳材质： 铝合金
防护等级： IP67
接 线 口： G1/2, NPT1/2, M20*1.5
颜 色： 灰色, 定制



DSK200

开 关： 机械式2*SPDT
接近式2*SPST,2*SPDT
外壳材质： 铝合金
防护等级： IP67
接 线 口： G1/2, NPT1/2, M20*1.5
颜 色： 黑色, 深灰色, 浅灰色, 定制
可 选 型： Ex 详细见选型表



ITS100

开 关： 机械式2*SPDT
外壳材质： 铝合金
防护等级： IP67
接 线 口： G1/2, NPT1/2, M20*1.5
颜 色： 黑色



DSK300

开 关： 机械式2*SPDT,4*SPDT
外壳材质： 铝合金
防护等级： IP67
接 线 口： G1/2
颜 色： 黑色



APL230

开 关： 机械式2*SPDT
外壳材质： PC
防护等级： IP67
接 线 口： G1/2, NPT1/2, M20*1.5
颜 色： 黑色



DSK414/DS420

开 关： 机械式2*SPDT
接近式2*SPST
外壳材质： PC
防护等级： IP65
颜 色： 黑色
安装螺纹： G1/4, M12*1, M16*1, M22*1.5, M26*1.5
可 选 型： Ex ia (DS420)



YD-WLCA2-2

产品名称： 行程开关
电压型号： 2A 250VAC 2A 48VDC
颜 色： 浅蓝色



DSK515

开 关： 磁感应
外壳材质： 塑料
防护等级： IP67
颜 色： 绿色



DSK100-SS

开 关： 机械式2*SPDT,2*DPDT
接近式2*SPST,2*SPDT
外壳材质： SS316
防护等级： IP67
接 线 口： G1/2, NPT1/2, M20*1.5
颜 色： 原色



防爆电磁阀 EXPLOSION-PROOF SOLENOID VALVES

YD800-XNM

产品名称: 隔爆电磁阀
外壳材质: 铝合金
防爆等级: Ex db IIC T6 Gb
Ex tb IIIC T80°C Db
防水等级: IP67
电气接口: 1/2G,1/2NPT,M20*1.5
环境温度: -40°C~+60°C
可选型: 详细见选型表



YD800-ZI

产品名称: 隔爆电磁阀
外壳材质: 铝合金/SS316
防爆等级: Ex db IIC T6 Gb
Ex tb IIIC T80°C Db
防水等级: IP67
电气接口: 1/2G,1/2NPT,M20*1.5
环境温度: -40°C~+60°C
可选型: 详细见选型表



YD800-XN

产品名称: 隔爆电磁阀
外壳材质: 铝合金
防爆等级: Ex db IIC T6 Gb
Ex tb IIIC T80°C Db
防水等级: IP67
电气接口: 1/2G,1/2NPT,M20*1.5
环境温度: -40°C~+60°C
可选型: 详细见选型表



YD880-ZE YD880-ZE-SS

产品名称: 隔爆电磁阀
外壳材质: 铝合金/SS316
防爆等级: Ex db IIC T6 Gb
Ex tb IIIC T80°C Db
防水等级: IP66
电气接口: 1/2G,1/2NPT,M20*1.5
环境温度: -40°C~+60°C
可选型: 详细见选型表



FC800-XK

产品名称: 隔爆电磁阀
外壳材质: 铝合金
防爆等级: Ex db mb IIC T6 Gb
Ex tb IIIC T80°C Db
防水等级: IP67
电气接口: 1/2G,1/2NPT,M20*1.5
环境温度: -40°C~+60°C
可选型: 详细见选型表



YD700-01

产品名称: 防爆线圈
外壳材质: 铝合金
防爆等级: Ex mb IIC T4 Gb
防水等级: IP67
电气接口: 1/2G
环境温度: -40°C~+60°C



YD800-XC

产品名称: 隔爆电磁阀
外壳材质: 铝合金
防爆等级: Ex db IIC T6 Gb
Ex tb IIIC T80°C Db
防水等级: IP67
电气接口: 1/2G,1/2NPT,M20*1.5
环境温度: -40°C~+60°C
可选型: 详细见选型表



YD700-02

产品名称: 防爆线圈座
外壳材质: 铝合金
防爆等级: Ex db IIC T4 Gb
防水等级: IP67
电气接口: 1/2G
环境温度: -40°C~+60°C



YD800-XA-SS

产品名称: 隔爆电磁阀
外壳材质: SS316
防爆等级: Ex db IIC T6 Gb
Ex tb IIIC T80°C Db
防水等级: IP67
电气接口: 1/2G,1/2NPT,M20*1.5
环境温度: -40°C~+60°C
可选型: 详细见选型表



YD700-03

产品名称: 防爆线圈座
外壳材质: 铝合金
防爆等级: Ex db IIC T4 Gb
防水等级: IP67
电气接口: 1/2G
环境温度: -40°C~+60°C



防水电磁阀

WATERPROOF SOLENOID VALVE

FK-SMN310-K03 FK-SVN310-K04

类 型： 板式/管式
外壳材质： 铝合金
防护等级： IP65
接 线 口： M20*1.5,NPT1/2



FK-3M310-08/FK-3M320-08 FK-3V310-08/FK-3V320-08

类 型： 板式/管式
外壳材质： 铝合金
防护等级： IP65
接 线 口： PG9
可 选 型： 详细见选型表



FK-SM310-K01 FK-SV310-K02

类 型： 板式/管式
外壳材质： 铝合金
防护等级： IP65
接 线 口： PG9



FK-4M310-08/FK-4M320-08 FK-4V310-08/FK-4V320-08

类 型： 板式/管式
外壳材质： 铝合金
防护等级： IP65
接 线 口： PG9
可 选 型： 详细见选型表



FK-4M310-AS FK-4V310-AS

类 型： 板式/管式
外壳材质： 铝合金
防护等级： IP65
接 线 口： PG9
可 选 型： 详细见选型表



产品持续更新中...

过滤器 FILTER

AW2000-02H AC2010-02H

杯体材质: 半铝
气源接口: G1/4
可 选 型: 详细见选型表



AW2000-02J AC2010-02J

杯体材质: 铝合金
气源接口: G1/4
可 选 型: 详细见选型表



AW3000-03 AC3010-03

杯体材质: 半铝
气源接口: G1/4
可 选 型: 详细见选型表



YT200-B YT200-B-SS

杯体材质: 铝合金,SS316
气源接口: G1/4,NPT1/4



KJW2000-02J KJW2010-02J

杯体材质: 铝合金
气源接口: G1/4
可 选 型: 详细见选型表



SFR200-08 SFRL200-08

杯体材质: SS316
气源接口: G1/4
可 选 型: 详细见选型表



OFR-MINI-01 OFR-MINI-02

杯体材质: 铝合金
气源接口: G1/4



产品持续更新中...

机械式定位器 MECHANICAL LOCATOR

YT1000L/R

防爆等级: Ex db IIC T6
 防护等级: Ex ia IIC T6
 IP66
 接线口: NPT1/2, M20*1.5



YT1000L/R-POM

防爆等级: Ex db IIC T6
 防护等级: Ex ia IIC T6
 IP66
 接线口: NPT1/2, M20*1.5



智能式定位器 INTELLIGENT LOCATOR

YT8000L/R

防爆等级: Ex db IIC T6
 防护等级: IP66
 接线口: NPT1/2, M20*1.5



YT8200L/R

防爆等级: Ex ia IIC T6
 防护等级: IP66
 接线口: NPT1/2, M20*1.5



L8-100



L8-300



L8A-100



L8A-200



FTC隔爆定位器 FTC FLAMEPROOF LOCATOR

FT900

防爆等级: Ex db IIC T6
 防护等级: Ex ia IIC T6
 IP66
 接线口: NPT1/2, M20*1.5



YT-1000L

防爆等级: Ex db IIC T6
 防护等级: Ex ia IIC T6
 IP66
 接线口: NPT1/2, M20*1.5



放大器 AMPLIFIER

YT-300N1

材 质: 铝合金
信号/输出压力比: 1:1
最大输入压力: 10bar
最大输出压力: 7bar
流量系数 (Cv): 进气1.32/出气1.19
信号/输出连接口: Rc1/4 or NPT1/4



YT-305N1

材 质: SS316
信号/输出压力比: 1:1
最大输入压力: 10bar
最大输出压力: 7bar
流量系数 (Cv): 进气1.32/出气1.19
信号/输出连接口: Rc1/4 or NPT1/4



YT-310N1

材 质: 铝合金
信号/输出压力比: 1:1
最大输入压力: 10bar
最大输出压力: 7bar
流量系数 (Cv): 进气5.24/出气4.9
信号/输出连接口: 1NPT3/4



YT-315N1

材 质: SS316
信号/输出压力比: 1:1
最大输入压力: 10bar
最大输出压力: 7bar
流量系数 (Cv): 进气5.24/出气4.9
信号/输出连接口: 1NPT3/4



YT-320N1

材 质: 铝合金
信号/输出压力比: 1:1
最大输入压力: 10bar
最大输出压力: 7bar
流量系数 (Cv): 进气2.08/出气2.72
信号/输出连接口: Rc1/2 or NPT1/2



YT-325N1

材 质: SS316
信号/输出压力比: 1:1
最大输入压力: 10bar
最大输出压力: 7bar
流量系数 (Cv): 进气2.08/出气2.72
信号/输出连接口: Rc1/2 or NPT1/2



产品持续更新中...

气动执行器 PNEUMATIC ACTUATOR

AT/KT52-400
AT/KT52-400D

可选型: 详细见选型表



AT/KT□□				
40	52	63	75	83
92	105	125	140	160
190	210	240	270	300
350	400			

手动操作机构 MANUAL OPERATING MECHANISM

SD1~7

可选型: 详细见选型表



手动操作机构选型表配合执行器							
手操型号	1	2	3	4	5	6	7
双作用执行器D	52-92	92-105	125-160	190-210	240	270-300	270-300
单作用执行器S	52-83	83-105	105-125	140-160	190-210	240-270	240-270

KS 4A210-06/08
KS 4A310-06/10

外壳材质: SS316
气源接口: 1/4G 3/8G 1/8G



KS4A210-06/08
KS4A310-06/10

外壳材质: 铝合金
气源接口: 1/4G 3/8G 1/8G



防爆管 EXPLOSION-PROOF PIPE

1/2NPT,3/4NPT,M20*1.5,M25*1.5



防爆接线盒 EXPLOSION-PROOF JUNCTION BOX

AH-G3/4

防爆标志: Ex db IIC T6 Gb
Ex tb IIIC T80°C Db



AGENCY POLICY

代理政策

商务优势

Business advantages

我们坚守共享共赢，共创未来的商业准则，承诺如下：

- ◆ 财务结算不超过实质结算申请日起3个工作日，项目提供融资、授信等方案，缓解资金压力；
- ◆ 优先处理代理商询价及商务技术服务，全流程服务，从方案定制到履约管理，高效推动合作；

We adhere to the business principle of sharing and win-win, co creating the future, and promise the following:

Financial settlement shall not exceed 3 working days from the date of substantive settlement application, and the project shall provide financing, credit and other plans to alleviate financial pressure;

Prioritize handling agent inquiries and business technical services, providing full process services from customized solutions to performance management, and efficiently promoting cooperation;

价格优势

Price advantage

正能阀门是一家国内阀门一站式服务平台企业，服务万家客户。在保证产品质量的情况下，我们承诺以最高性价比的价格定位支持代理商进行市场开发与合作，助力合作共赢

Zhengneng Valve is a domestic one-stop service platform enterprise for valves, serving tens of thousands of customers. We promise to support agents in market development and cooperation with the highest cost-effective price positioning while ensuring product quality, and help achieve win-win cooperation

技术支持

Technical support

精准解读客户需求，定制方案提高中标率，7*24小时响应，专家团队解决技术难题。

Accurately interpreting customer needs, customizing solutions to improve bid winning rates, 7 * 24-hour response, and expert teams to solve technical problems.



模式优势 ▲ Mode advantages

以商招商，打造全产业链一站式阀门服务平台，顶尖导师实战教学，提升销售能力。共享厂区平台，共享企业资质、共享行业业绩、共享展会信息、共享项目信息。

By attracting investment through business, we aim to create a one-stop valve service platform for the entire industry chain, with top-notch mentors providing practical teaching to enhance sales capabilities. Shared factory platform, sharing enterprise qualifications, industry performance, exhibition information, and project information.

厂家优势 ▲ Manufacturer advantages

正能阀门在温州经济开发区12000平米生产区域，主要生产自控阀门与工艺手阀并吸引了通用阀门生产企业，统一品控、统一油漆、统一包装，成本更低，服务更优。

Zhengen Valve is located in a 12000 square meter production area in Wenzhou Economic Development Zone, mainly producing automatic control valves and process manual valves, and attracting general valve production enterprises. It has unified quality control, painting, and packaging, with lower costs and better services.

01

掌握核心技术

Mastering core technology

03

超越客户期望

Exceeding customer expectations

02

一站式的服务

One stop service

04

创造最佳实践

Creating Best Practices

PROXY PATTERN

代理模式

A、签署代理协议的指定区域代理商

- 1、协商合作及结算模式
 - 2、签定品牌代理协议并缴纳代理保证金
 - 3、双方严格履行协议条款
- A、 Designated regional agent who signs the agency agreement
1. Negotiation, cooperation and settlement mode
 2. Sign brand agency agreement and pay agency deposit
 3. Both parties shall strictly abide by the terms of the agreement

B、签署项目代理协议的合作商

- 1.协商共同开发项目、产品销售形式
 - 2.正能执行技术支持、推广支持
 - 3.配合向用户做好《顾客满意度调查表》
- B、 Partners who sign the project agency agreement
1. Negotiate joint development projects and product sales forms
 2. Able to provide technical support and promotional support
 3. Cooperate to prepare a "Customer Satisfaction Survey Form" for users

ZNV

您值得信赖的合作伙伴
Your trusted partner



售后服务和质量保证承诺

随着国家市场经济的深入发展，市场竞争日趋激烈，广大用户对产品的要求也越来越高，并且对售后服务方面的要求也越来越多，为此，我公司质量管理部门为适应市场发展的要求，专门设立了售后服务组、配备了专职服务人员负责处理我公司产品售后服务事宜。同时我公司在内部质量管理方面也作出了多方努力，获得了ISO9001质量认证和API-6D认证及压力管道特种设备许可证，为此我公司完全可以做到。

一、产品配发检验合格证书和说明书，以确保用户能正确安装使用我公司产品。

二、我公司保证出厂的产品均按有关国际标准生产和检验，不合格的产品决不出厂。保证严格履行、兑现产品的三包，严格执行国家工业产品售后服务有关规定，对出厂产品自发货日起的十八个月内，在产品说明书规定的正常操作条件下我公司将负责质保期内质量完好。

三、如用户对我公司产品提出的质量异议，公司保证在接到用户提出异议后2小时内作出处理意见。若需要现场解决的，保证派出专业技术服务人员，并做到质量问题不解决服务人员不撤离。对每件用户反馈的产品质量问题及处理结果我公司将存档。

以上三点是我公司对售后服务的承诺。竭诚欢迎广大用户批评指正，请提出宝贵意见，参照改进。真诚希望我们之间合作愉快。

After sales service and quality assurance commitment

With the deepening development of the national market economy, market competition is becoming increasingly fierce, and users have higher and higher requirements for products, as well as more and more requirements for after-sales service. Therefore, our company's quality management department has set up an after-sales service team and equipped dedicated service personnel to handle our company's product after-sales service matters in order to meet the requirements of market development. At the same time, our company has made multiple efforts in internal quality management and has obtained ISO9001 quality certification, API-6D certification, and pressure pipeline special equipment license. Therefore, our company can fully achieve this.

1、 The product is accompanied by a certificate of inspection and instruction manual to ensure that users can correctly install and use our company's products.

2、 Our company guarantees that all products leaving the factory are produced and inspected in accordance with relevant international standards, and any unqualified products will never leave the factory. We guarantee to strictly fulfill and fulfill the four guarantees of the product, strictly implement the relevant regulations of national industrial product after-sales service, and within 18 months from the date of shipment, our company will be responsible for ensuring that the quality of the products is intact under normal operating conditions specified in the product manual during the warranty period

3、 If users raise quality objections to our company's products, the company guarantees to provide a handling opinion within 2 hours after receiving the user's objection. If on-site solutions are required, ensure the dispatch of professional technical service personnel and ensure that service personnel do not evacuate until quality issues are resolved. Our company will archive every product quality issue and handling result reported by users.

The above three points are our company's commitment to after-sales service. Sincerely welcome users to criticize and provide evidence. Please provide valuable opinions and refer to them for improvement. Sincerely hope for a pleasant cooperation between us.



"以商招商"
一城一个代理商

Merchants attract investment,
one city, one agent

ZNV[®]

正能阀门集团有限公司
ZHENGNEG VALVE GROUP CO., LTD

手机: 18962350555
电话: 0577-88828008
邮箱: 78841529@qq.com
地址: 浙江省温州经济技术开发区滨海六路 36 号

www.znvgroup.com



微信咨询/WeChat